

# INDEX MAPS.

## T. 4N, R. 5E. 2<sup>nd</sup> Mer.

	320		320		319-320		319-321		319-321		319-321	
328	6	347	5	340	4	336	3	332	2	327	1	319
	346		346		340		335		331		327	
323	7	345	8	340	9	335	10	331	11	326	12	318
	345		345		339		335		330		326	
322	18	344	17	339	16	334	15	330	14	326	13	318
	344		343		338		334		330		325	
322	19	343	20	338	21	334	22	329	23	326	24	318
	343		342		338		333		329		325	
322	30	342	29	337	28	333	27	329	26	324	25	317
	342		341		337		333		328		324	
321	31	341	32	336	33	332	34	328	35	323	36	317
	315		315-316		315-316		315-316		315-316		315-317	

## T. 5N, R. 5E. 2<sup>nd</sup> Mer.

	355		354		354		354		353		353	
357	6	379	5	373	4	369	3	365	2	361	1	353
	378		378		372		368		364		361	
356	7	378	8	372	9	368	10	364	11	360	12	352
	377		377		371		367		364		360	
356	18	379	17	371	16	367	15	363	14	359	13	352
	376		376		371		367		363		359	
356	19	376	20	370	21	366	22	363	23	359	24	352
	375		374		370		366		362		358	
355	30	374	29	370	28	366	27	362	26	358	25	351
	373		374		369		365		362		358	
355	31	373	32	369	33	365	34	361	35	357	36	351
	349-350		349-350		349-350		349-350		349-350		349-351	

The figures on the lines refer to the page.

349

Township N. 5 North, Range N. 5 East 2.<sup>nd</sup> Mer. Indiana

South Boundary

Nest 1.<sup>st</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 N. R 5 E

21.00 a Brook 20 lks. wide Course South

40.00 Set tempy. q. Sec. post

80.00 Set tempy. Mile post

Good farming land, timber Oak, Hickory & Beech

---

Nest 2.<sup>nd</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 N. R 5 E

40.00 Set tempy. half Mile post

80.00 Set tempy. Mile post

Sand timber &c. Same as on the last mile

---

Nest 3.<sup>rd</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 S. R 5 E.

40.00 Set tempy. half Mile post

80.00 Set tempy. Mile post

Sand timber &c. Same as on the last mile

---

Nest 4.<sup>th</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 S. R 5 E.

40.00 Set tempy. half Mile post

75.50 a Brook 20 lks. wide Course South

80.00 Set tempy. Mile post

Sand level, timber Beech, Oak & Hickory

---

Nest 5.<sup>th</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 S. R 5 E.

40.00 Set tempy. half Mile post

80.00 Set tempy. Mile post

Sand timber &c. Same as on the last mile

---

Nest 6.<sup>th</sup> Mile On Rand.<sup>m</sup> between Towns 4 & 5 S. R 5 E

40.00 Set tempy. half Mile post

84.50 Intersected the N & S. line 700 lks. S. of Town

Corner. Sand &c. Same as on the last mile

---

T5N R5E, 2.<sup>nd</sup> Mer. Indiana

- East On true line S. boundary of Sec. 31  
 44.50 Set the gr. Sec. post on true line from which  
 a Beech 20 in. diam. bear N 52° W 3 lks. dist. of  
 a Do 8 " " " N 19° W 25 " "  
 84.50 Set a post Cor. to Sec. 31 & 32, T5N, R5E, from which  
 a Beech 10 in. diam. bear N 60° E 4 lks. dist. of  
 a Do 20 " " " East 16 " "
- 

- East On true line S. boundary of Sec. 32  
 40.00 Set the gr. Sec. post on true line from which  
 a Sassafras 8 in. diam. bear N 14° W 17 lks. dist. of  
 a Poplar 20 " " " N 10° W 8 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T5N, R5E, from which  
 a Hickory 24 in. diam. bear N 36° E 4 lks. dist. of  
 a Do 10 " " " N 10° E 18 " "
- 

- East On true line S. boundary of Sec. 33  
 40.00 Set the gr. Sec. post on true line from which  
 a Hickory 16 in. diam. bear N 63° E 15 lks. dist. of  
 a Beech 8 " " " S 55° W 16 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T5N, R5E, from which  
 a Beech 24 in. diam. bear S 44° E 5 lks. dist. of  
 a Do. 20 " " " N 74° W 33 " "
- 

- East On true line S. boundary of Sec. 34  
 40.00 Set the gr. Sec. post on true line from which  
 a Beech 24 in. diam. bear S 54° W 21 lks. dist. of  
 a Do. 8 " " " N 60° E 11 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T5N, R5E, from which  
 a Hickory 8 in. diam. bear S 59½° E 10 lks. dist. of  
 a Maple 8 " " " N 59½° W 16 " "
- 

- East On true line S. boundary of Sec. 35

# *S 5 N. R 5 E. 2<sup>d</sup> Mer. Indiana*

- 40.00 Set the q<sup>r</sup>. Sec. post on true line from which  
a Beech 10 in. dia. bear N 10 E 16 lbs. dist. of  
a do. 12 " " " N 40 W 21 " "  
80.00 Set a post Cor. to Sec. 35 & 36, S 5 N. R 5 E. from which  
a Elm 20 in. dia. bear N 50 W 25 lbs. dist. of  
a Beech 20 " " " S 75 E 34 " "

- East On true line S. boundary of Sec. 36  
40.00 Set the q<sup>r</sup>. Sec. post on true line from which  
an Elm 20 in. dia. bear S 45 E 12 lbs. dist. of  
a Hickory 10 " " " S 62 W 17 " "  
80.00 to Township Corner  
October 1806.

- East Boundary  
North On E. boundary of Sec. 36, S 5 N. R 5 E  
38.00 a Sugar tree 10 in. dia.  
40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Sugar 20 in. dia. bear N 88 W 9 lbs. dist. of  
a Beech 8 " " " S 25 E 23 " "  
67.40 a Beech 8 " "  
80.00 Set a post Cor. to Sec. 25 & 36, from which  
a Sugar 15 in. dia. bear N 69 E 4 lbs. dist. of  
a Poplar 50 " " " S 69 W 2 " "  
This mile over good farming land timber  
Beech, Oak & Hickory

- North On E. boundary of Sec. 25, S 5 N. R 5 E.  
19.50 a Beech 20 in. dia.  
40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 28 in. dia. bear S 23 E 20 lbs. dist. of  
a do 10 " " " N 23 W 8 " "  
80.00 Set a post Cor. to Sec. 24 & 25, from which



T5N R5E, 2<sup>d</sup> Mer. Indiana

a Poplar 24 in. dia. beam S5E 50 lks. dist. of  
 a Beech 8 " " " N30W 13 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T5N. R5E.  
 40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in. dia. beam S15W 38 lks. dist. of  
 a Do. 6 " " " N19E 6 " "  
 80.00 Let a post Cor. to Sec. 13 of 24, from which  
 a Beech 10 in. dia. beam S4E 19 lks. dist. of  
 a Do. 7 " " " N73W 28 " "  
 This mile low level sand timber Beech  
 underg<sup>d</sup>. Spruce wood

North On E. boundary of Sec. 13, T5N. R5E.  
 30.00 a Beech 20 in. dia.  
 40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Beech 6 in. dia. beam S73E 11 lks. dist. of  
 a Hickory 7 " " " N52W 5 " "  
 70.00 a Spring Cress West  
 80.00 Let a post Cor. to Sec. 12 of 13, from which  
 a Beech 10 in. dia. beam S12W 12 lks. dist. of  
 a Do. 20 " " " N61W 11 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12, T5N. R5E.  
 28.80 a Beech 28 in. dia.  
 40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Poplar 40 in. dia. beam S20W 17 lks. dist. of  
 a Beech 10 " " " N20E 22 " "  
 50.40 a W. Ash 20 " "  
 80.00 Let a post Cor. to Sec. 1 of 12, T5N. R5E, from which  
 a W. Oak 20 in. dia. beam S1W 50 lks. dist. of

# *T5 N. R5 E. T<sup>h</sup> Mer. Indiana*

a W. Oak 20 in. dia. bray N 74 — 27 lks. dist.  
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T5 N, R5 E

6.30 a W. Oak 20 in. dia.

40.00 At the q. Sec. post, from which

a Gum 30 in. dia. bray N 44 W 4 lks. dist. &

a W. Oak 10 " " " N 12 E 8 " "

80.00 At a post Cor. to Township N: 5 & 6 North, Range  
N: 5 & 6 East, from which

a W. Oak 10 in. dia. bray S 48 W 2 lks. dist. &

a Beech 24 " " " N 25 E 14 " "

Sand timber &c. same as on the last mile

North Boundary var. 6° 30' E.

West On S. boundary of Sec. 36, T6 N, R5 E.

40.00 At the q. Sec. post, from which

a Sweet Gum 10 in. dia. bray N 54 E 12 lks. dist. &

a Do. 10 " " " N 13 E 16 " "

80.00 At a post Cor. to Sec. 35 & 36, T6 N, R5 E, from which

a Poplar 10 in. dia. bray N 75 E 25 lks. dist. &

an Ironwood 5 " " " S 17 E 12 1/2 " "

Flat Beech timbered land

West On S. boundary of Sec. 35, T6 N, R5 E.

34.50 a Poplar 29 in. dia.

40.00 At the q. Sec. post, from which

a Beech 10 in. dia. bray N 53 W 3 lks. dist. &

a Do. 20 " " " S 3 W 14 1/2 " "

80.00 At a post Cor. to Sec. 34 & 35, T6 N, R5 E, from which

a Hickory 12 in. dia. bray N 80 E 18 lks. dist. &

a Do. 8 " " " S 62 W 25 " "

Sand timber &c. same as on the last mile

T<sup>6</sup>N. R<sup>5</sup>E. 2<sup>d</sup> Mer. Indiana

West On S. boundary of Sec. 34, T<sup>6</sup>N. R<sup>5</sup>E  
 40.00 Set the q. Sec. post, from which  
 a Gum 10 in. dia. bears S 48 E 5 lks. dist. of  
 a Beech 15 " " " S 52 E 32 " "  
 44.50 a Brook 10 lks. wide Course N.  
 80.00 Set a post Cor. to Sec. 33 & 34, T<sup>6</sup>N. R<sup>5</sup>E, from which  
 a Beech 10 in. dia. bears N 74 E 62 lks. dist. of  
 a dlo. 12 " " " S 50 E 45 " "  
 This mile over good farming land timber  
 Beech & Hickory

West On S. boundary of Sec. 33, T<sup>6</sup>N. R<sup>5</sup>E.  
 9.60 a Beech 20 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Dogwood 6 in. dia. bears N 80 E 39 lks. dist. of  
 a Beech 10 " " " S 42 N 17 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T<sup>6</sup>N. R<sup>5</sup>E, from which  
 a Beech 10 in. dia. bears N 71 E 10 lks. dist. of  
 a W. Ash 12 " " " S 52 N 28 " "  
 Sand timber &c. same as on the last mile

West On S. boundary of Sec. 32, T<sup>6</sup>N. R<sup>5</sup>E  
 20.25 a Spring run 10 lks. wide Course North  
 40.00 Set the q. Sec. post, from which  
 \* { a Dogwood 6 in. dia. bears S 4 W 8 lks. dist. of  
 { a Sassafras 6 " " " S 80 E 21 " "  
 62.20 Intersected Indian boundary line Set post from which  
 a P. Oak 48 in. dia. bears S 25 W 13 1/2 lks. dist. of  
 a Beech 20 " " " S 45 E 34 " "  
 80.00 Set a post Cor. to Sec. 31 & 32, T<sup>6</sup>N. R<sup>5</sup>E, from which  
 an Ironwood 6 in. dia. bears N 50 E 12 lks. dist. of  
 a Dogw. 6 " " " N 51 W 9 " "  
 \* Note - New Bearings were taken at q. Sec. corner



## T5 N. R5 E. Mer. Indiana

which are the following

{ a Logwood 6 in. dia. beam S78 E 12.30 lks. dist. of  
a Sassafras 8 " " " N48 E 12 " "

This mile over rich broken land timber Poplar  
Oak and Hickory

Nest On S. boundary of Sec. 31, T6 N. R5 E

9.70 a Spring run 6 lks. wide Course N.

40.00 Set the gr. Sec. post, from which

a P. Oak 20 in. dia. beam S86 E 55 lks. dist. of

a W. Ash 30 " " " N65 E 34 " "

62.00 to a large lick, some appearance of Iron ore

89.91 Intersected the post, Corner to Township N. 5 of  
6 North, Range N. 4 of 5 E

Sand Hilly, timber Oak, Beech, Hickory &c.

## Nest Boundary

North On E. boundary of Sec. 36, T5 N. R4 E.

14.00 a Brook 10 lks. wide Course S. E.

40.00 Set the gr. Sec. post, from which

a Hickory 8 in. dia. beam S19 N 22 lks. dist. of

a Beech 10 " " " N62 E 28 " "

45.80 a Beech 12 " "

52.50 a Brook 10 lks. wide Course S. E.

80.00 Set a post Corner to Sec. 25, 36, T5 N. R4 E. from which

a Beech 20 in. dia. beam S44 N 16 1/2 lks. dist. of

a do. 6 " " " N22 W 15 " "

This mile over level Beech timbered land

North On E. boundary of Sec. 25, T5 N. R4 E.

40.00 Set the gr. Sec. post, from which

a Logwood 5 in. dia. beam N2 N 10 lks. dist. of

and Ironwood 6 " " " S17 N 34 " "



T5 N R5 E, T<sup>h</sup>. Mer. Indiana

- 42.00 a Brook 10 lks. wide Course S. E.  
 44.10 a P. Oak 20 in. dia.  
 80.00 Set a post Cor. to Sec. 24 & 25, T5 N R4 E. from which  
 a W. Oak 15 in. dia. bear S 34 E 15 lks. dist. of  
 a Maple 15 " " " N 32 E 31 " "  
 This mile over thin broken brushy Oak timbered  
 land undg<sup>d</sup>. Office

- North On E. boundary of Sec. 24, T5 N R4 E.  
 40.00 Set the g. Sec. post, from which  
 a Beech 6 in. dia. bear S 85 E 7 lks. dist. of  
 a dogwood 5 " " " N 17 W 18 " "  
 50.00 a Brook 15 lks. wide Course West  
 56.75 a Beech 20 in. dia.  
 80.00 Set a post Cor. to Sec. 13 & 24, T5 N R4 E. from which  
 a W. Oak 8 in. dia. bear S 64 W 16 lks. dist. of  
 a Do. 14 " " " N 34 1/2 E 18 " "  
 Sand timber &c. same as on the last mile

- North On E. boundary of Sec. 13, T5 N R4 E  
 20.00 a Brook 12 lks. wide Course West  
 24.04 a P. Oak 20 in. dia.  
 40.00 Set the g. Sec. post, from which  
 a W. Ash 12 in. dia. bear S 47 W 11 lks. dist. of  
 a Do. 24 " " " N 47 E 18 " "  
 46.00 a Brook 15 lks. wide Course W.  
 80.00 Set a post Cor. to Sec. 12 & 13, T5 N R4 E. from which  
 a Beech 10 in. dia. bear S 14 W 23 lks. dist. of  
 a Do 10 " " " N 22 W 22 " "  
 Sand rolling, Beech, Oak, Ash &c

- North On E. boundary of Sec. 12, T5 N R4 E.  
 25.50 a Spring run 10 lks. wide Course West

# T5 N. R5 E. Mer. Indiana

357

- 40.00 Set the q. Sec. post, from which  
a Beech 20 mi. dir. bear S80 E 8 lks. dist. of  
a Sugar 5 " " " N20 W 8 " "
- 69.90 Intersected the Indian boundary line, set post, from which  
a Beech 20 mi. dir. bear S39 W 20 lks. dist. of  
a Do. 6 " " " N34 W 6 " "
- September 1<sup>st</sup> 1806
- 80.00 Set a post Cor. to Sec. 1 & 12, T5 N. R4 E. from which  
a Beech 12 mi. dir. bear S46 W 6 lks. dist. of  
a Do. 6 " " " N63 E 14 " "
- Rich level land Beech, Sugar etc.

- North On E. boundary of Sec. 1, T5 N. R4 E.
- 40.00 Set the q. Sec. post ~~Cor.~~ from which  
a Sugar 10 mi. dir. bear S15 E 37 lks. dist. of  
a Do. 10 " " " N67 E 27 " "
- 67.07 Set a post Cor. to Township, N. 5 & 6 North, of  
Range, N. 4 & 5 E, from which  
a Beech 20 mi. dir. bear N32 W 13 lks. dist. of  
a Do 9 " " " S53 W 13 " "
- Over rich land, timber Beech, Ash etc.  
Surveyed in 1806 by Arthur H. Harris, D.S.

- Subdivision Nov. 25<sup>th</sup> 1806
- North Between Sec. 35 & 36, T5 N. R5 E.
- 21.10 a Gum 24 mi. dir.
- 40.00 Set the q. Sec. post, from which  
a Beech 10 mi. dir. bear S53 E 20 lks. dist. of  
a Do. 10 " " " N71 W 34 " "
- 59.20 a Beech 18 " "
- 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
a Beech 10 mi. dir. bear East 26 lks. dist. of  
a Hickory 8 " " " West 14 " "

T5N R5E. 2<sup>d</sup>. Mer. Indiana

Land level, good soil, timber Beech Oak &c.  
a Rainy day.

East On Rand<sup>m</sup>. between Secs. 25 & 36, T5N. R5E  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
67.50 Cross a run 45 lks. wide Cr. S. fine running stream  
78.67 Intersected the E. boundary 236 lks. N. of post  
Low level flat land, timber Ash, Elm & Beech

West Connected between Secs. 25 & 36  
39.33<sup>1</sup>/<sub>2</sub> let q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 10 in. dia. bear N60°W 25 lks. dist. of  
a dlo. 14 " " " S7E 24 " "  
78.67 to Sec. Corner

North Between Secs. 25 & 26, T5N. R5E.  
20.14 a Hickory 40 in dia.  
40.00 Let the q<sup>r</sup>. Sec. post from which  
a Beech 12 in. dia. bear S80E 35 lks. dist. of  
a dlo 10 " " " S81°W 17 " "  
54.50 a Beech 26 " "  
55.00 a run 8 lks. wide Course S.E.  
61.50 a dlo 20 " " " S10E.  
80.00 Let a post Cor. to Secs. 23, 24, 25 & 26, from which  
a Gum 18 in. dia. bear S89°W 21 lks. dist. of  
a dlo 18 " " " N14E 30 " "  
Land level rich, timber Beech, Sugar, ash  
&c. underg<sup>th</sup>. Spruce & birch

East Between Secs. 24 & 25 on Rand<sup>m</sup>. var. 3.30'  
36.00 a run 25 lks. wide Course S. E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
78.55 Intersected the E. boundary 250 lks. N. of post



T5 N. R5 E. 2<sup>d</sup>. Mer. Indiana

Land (most part, 1<sup>st</sup> rate, timber Ash, Beech &c

West Connected between Sec. 24 & 25, T5 N. R5 E.  
 39.27<sup>1</sup>/<sub>2</sub> Set of Sec. post at average dist. from which  
 a Poplar 48 in. diam. bears N 46° W 20 lbs. dist. of  
 a W. Oak 18 " " " N 10° E 19 " "  
 78.55 to Sec. Corner

North Between Sec. 23 & 24, T5 N. R5 E.

25.65 a Y. Oak 36 in. diam.

40.00 Set the of. Sec. post, from which  
 a Beech 11 in. diam. bears N 40° W 55 lbs. dist. of  
 a do 14 " " " S 19° E 10 " "

51.96 a W. Oak 36 " "

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24 from which  
 a Beech 30 in. diam. bears N 51° W 10 lbs. dist. of  
 a do. 9 " " " S 46° E 56 " "  
 Land level &c. timber Beech &c. undg. Spruce &c.

East On Rand<sup>m</sup>. between Sec. 13 & 24, T5 N. R5 E.

40.00 Set temp. of. Sec. post — no variation

42.00 a run 20 lbs. wide Course S.

78.65 Intersected the E. boundary 220 lbs. S. of post  
 Land timber &c. Much as last mile

West Connected between Sec. 13 & 24, T5 N. R5 E.

39.32<sup>1</sup>/<sub>2</sub> Set of. Sec. post, from which (at average dist.)  
 an Ash 14 in. diam. bears N 88° E 20 lbs. dist. of  
 a Maple 16 " " " S 84° W 16 " "

78.65 to Sec. Corner

North Between Sec. 13 & 14, T5 N. R5 E

8.00 a run 6 lbs. wide Course East

T5N R5E, 2<sup>nd</sup> Mer. Indiana

- 16.50 a Beech 10 mi. dist.  
 40.00 Set the gr. Sec. post, from which  
 a Hickory 16 mi. dist. bear S38E 31 lks. dist. of  
 a Gum 16 " " " N40W 12 " "  
 77.40 a Beech 16 " "  
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Beech 16 mi. dist. bear N83E 11 lks. dist. of  
 a Gum 16 " " " N35W 40 " "  
 Land timber &c. Same as on the last mile
- 

- East On Rand. between Sec. 12 & 13 ran. 1.15.  
 40.00 Set temp. gr. Sec. post  
 45.00 to edge of Swamp appears to be extensive to the N.  
 47.50 a run 6 lks. wide Course South  
 57.50 leave the Swamp  
 78.50 Intersected the E. boundary 126 lks. S. of post  
 Land 1<sup>st</sup> 1/2 mile same as last 2<sup>nd</sup> 1/2 1<sup>st</sup> rate  
 large Poplar, Ash, Chestnut &c.
- 

- West Corrected between Sec. 12 & 13, T5N R5E  
 39.25 Set gr. Sec. post at average dist. from which  
 a Beech 11 mi. dist. bear N57W 9 lks. dist. of  
 a do. 16 " " " S21E 21 " "  
 78.50 to Sec. Corner.
- 

- North Between Sec. 11 & 12, T5N R5E  
 14.27 a Poplar 40 mi. dist.  
 40.00 Set the gr. Sec. post, from which  
 a Beech 16 mi. dist. bear N66E 25 lks. dist. of  
 a Gum 9 " " " S40W 11 " "  
 52.00 a run 10 lks. wide Course E.  
 52.50 a Beech 18 mi. dist.  
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

# S. N. R. 5 E. T. Mer. Indiana

a Beech 16 in. dia. bray, 140 W 6 lbs. dist. of  
 a Do. 16 " " " N 19 E 40 " "  
 Land good soil, timber Beech, Oak, Ash, Gum &c.

East On Rand<sup>m</sup>. between Sec. 1 & 12, S. 5 N. R. 5 E.  
 40.00 Let temp<sup>y</sup>. gr. Sec. post var. 2.15.  
 42.00 to a Swamp 500 lbs. wide  
 45.50 a run 15 lbs. wide C. S. fine Current  
 78.00 Intersected the E. boundary 8 lbs. S. of post  
 Level wet land Oak & Maple timber

West Corrected between Sec. 1 & 12  
 39.00 Let gr. Sec. post at average dist. from which  
 a Hickory 18 in. dia. bray, 170 W 6 lbs. dist. of  
 a Beech 8 " " " N 76 E 7 " "  
 78.00 to Sec. Corner

North Between Sec. 1 & 2, S. 5 N. R. 5 E.  
 18.18 a Beech 18 in. dia.  
 40.00 Let the gr. Sec. post, from which  
 a Hickory 14 in. dia. bray, N 30 E 7 lbs. dist. of  
 a R. Oak 12 " " " West 23 " "  
 51.27 a Beech 18 " "  
 72.62 Intersected the N. boundary 186 lbs. E. of post  
 Let a post Cor. to Sec. 1 & 2, from which  
 a Beech 11 in. dia. bray, S 50 E 30 lbs. dist. of  
 a Do. 16 " " " S 27 W 29 " "  
 Land timber &c. same as on the last mile

North Between Sec. 34 & 35, S. 5 N. R. 5 E.  
 22.95 a Beech 18 in. dia.  
 40.00 4 Maples 6 in. dia. gr. Sec. Corner trees in Swamp  
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which



T5 N. R5 E. 2<sup>nd</sup> Mer. Indiana

a Gum 16 in. diam. beam N60 E 17 lbs. dist. of  
 a Beech 18 " " " S82 W 30 " "  
 Sand level & rich, timber Beech Sugar etc.

East On Rand. between Sec. 26 & 35, T5 N. R5 E  
 40.00 Set temp. of Sec. post  
 79.15 Intersected the N & S. line 10 lbs. N. of post  
 (description of Land &c. Omitted)

West Corrected between Sec. 26 & 35  
 39.57 1/2 Set of Sec. post at average dist. from which  
 a Gum 28 in. diam. beam S46 E 25 lbs. dist. of  
 a Beech 24 " " " N71 W 17 " "  
 79.15 to Sec. Corner

North Between Sec. 26 & 27, T5 N. R5 E.  
 12.70 a run - lbs. wide Course -  
 18.18 a Beech 18 in. diam.  
 40.00 Set the of Sec. post, from which  
 a Maple 24 in. diam. beam S50 E 12 lbs. dist. of  
 a Beech 11 " " " N47 W 42 " "  
 65.88 a Hickory 20 " "  
 80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 18 in. diam. beam S65 W 14 lbs. dist. of  
 a do. 14 " " " N47 E 38 " "  
 Sand timber &c. Same as on the last mile

West On Rand. between Sec. 23 & 26, T5 N. R5 E  
 1.00 a run 25 lbs. wide Cr. South  
 40.00 Set temp. of Sec. post  
 78.80 Intersected the N & S. line 40 lbs. N. of post  
 Sand rich wet soil, timber as last mile

T5 N R5 E. 2<sup>d</sup> Mer. Indiana

East Corrected between Sec. 23 & 26

39.40 Let q. Sec. post, from which (at average dist.) for  
which a Beech 18 in. dia. is marked for q. Sec. Cor.  
78.80 to Sec. Corner. Thursday 27<sup>th</sup> Nov. 1806

North Between Sec. 22 & 23, T5 N, R5 E.

25.54 a Beech 16 in. dia. North 5.00 is a Swamp

40.00 Let the q. Sec. post, from which  
a Beech 26 in. dia. bear S 12 E 20 lks. dist. of  
a do. 18 " " " N 53 W 30 " "

50.50 a run 30 lks. wide Course S. E.

57.24 a Beech 10 in. dia.

80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 26 in. dia. bear S 67 E 20 lks. dist. of  
a do. 16 " " " N 58 W 20 " "  
Land rich level, timber Beech, ash, Oak &c.  
Bushy Spice, Brier &c.

West On Rand. between Sec. 14 & 23, T5 N, R5 E.

40.00 Let temp. q. Sec. post

78.10 Intersected the N & S. line 30 lks. S. of post  
Land thin wet soil, timber Beech, Elm &c. brier &c.

East Corrected between Sec. 14 & 23

39.05 Let q. Sec. post at average dist. from which  
a Beech 16 in. dia. bear N 87 W 12 lks. dist. of  
a do. 16 " " " N 88 E 18 " "

78.10 to Sec. Corner. Friday 28<sup>th</sup> Novem. 1806

North Between Sec. 14 & 15, T5 N, R5 E.

20.40 a Beech — in. dia.

40.00 Let the q. Sec. post, from which  
a P. Oak 60 in. dia. bear S 63 E 40 lks. dist. of

## T5 N. R5 E. 2. Mer. Indiana

a Gum 26 in. dia. bran N 75 W 37 lbs. dist. of  
 52.00 S. Oak 36 " "  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Gum 9 in. dia. bran S 26 E 15 lbs. dist. of  
 an Elm 14 " " " N 16 W 6 " "  
 Sand timber &c. same as on the last mile

East On Rand. between Sec. 11 & 14, T5 N. R5 E  
 40.00 Set temp. q. Sec. post  
 79.02 Intersected <sup>the S. & P. line</sup> 25 lbs. N. of post  
 Sand timber &c. same as on the last mile

West Corrected between Sec. 11 & 14  
 39.51 Set q. Sec. post at average dist. from which  
 a Beech 36 in. dia. bran N 27 E 18 lbs. dist. of  
 an Ash 14 " " " S 6 W 35 " "  
 79.02 to Sec. Corner.

North Between Sec. 10 & 11, T5 N. R5 E.

17.89 a R. Oak 14 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 16 in. dia. bran East 3 lbs. dist. of  
 a Gum 30 " " " N 41 W 37 " "  
 54.85 a W. Oak 50 " "  
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
 a R. Oak 20 in. dia. bran S 23 E 44 lbs. dist. of  
 a Hickory 6 " " " N 23 W 29 " "  
 Sand good soil, timber Oak, Beech, Ash &c.

East On Rand. between Sec. 2 & 11, T5 N. R5 E.  
 40.00 Set temp. q. Sec. post.  
 77.10 a run 8 lbs. wide Course S.  
 79.10 Intersected the N & S. line 8 lbs. S. of post



# T5 N. R5 E. 2<sup>n</sup> Mer. Indiana

Land level, timber Beech, Oak, Ash &c.

West Corrected between Sec. 2 of 11

39.55 Set q. Sec. post at average dist. from which  
a Beech 7 in. dia. bear S 65 W 9 lks. dist. of  
a do. 12 " " " N 54 E 30 " "

79.10 to Sec. Corner

North Between Sec. 2 of 3, T5 N. R5 E.

16.68 a Hickory 18 in. dia.

40.00 Set the q. Sec. post, from which  
a W. Oak 50 in. dia. bear S 38 E 15 lks. dist. of  
a Hickory 10 " " " N 44 W 25 " "

62.00 a Hickory 20 " "

69.00 Intersected the N. boundary 227 lks. E. of post  
Set a post Cor. to Sec. 2 of 3, from which  
a Beech 16 in. dia. bear S 49 E 31 lks. dist. of  
a Hickory 20 " " " S 52 W 38 " "  
Land level, timber Oak, Hickory &c. briar &c.

North Between Sec. 33 of 34, T5 N. R5 E

3.45 a Poplar 60 in. dia.

39.90 a do 20 " "

40.00 Set the q. Sec. post, from which  
a Beech 12 in. dia. bear N 53 E 22 lks. dist. of  
a Hickory 8 " " " S 48 W 9 " "

40.25 a run 10 lks. wide Course E.

52.34 an Ash 14 in. dia.

72.25 a run 4 lks. wide Course W.

80.00 Set a post Cor. to Sec. 27, 28, 33 of 34, from which  
a Maple 14 in. dia. bear N 32 W 21 lks. dist. of  
a Hickory 10 " " " S 69 E 24 " "

Land level quick, timber Beech, Hickory, Oak &c.

East On Rand. between Sec. 27 of 34, T5 N. R5 W

27.50 a run 25 lks. wide Course South

S. N. R. S. E. 2<sup>nd</sup> Mer. Indiana

40.00 Set temp<sup>y</sup>. of Sec. post,  
 79.40 Intersected the N & S. line 10 lks. N. of post  
 (description of Land &c. Omitted)

---

West Connected between Sec<sup>s</sup>. 27 & 34  
 39.70 Set of Sec. post at average dist. from which  
 a Beech 11 in. dia. beam S 31 W 36 lks. dist. of  
 an Ash 18 " " " N 5 E 30 " "  
 79.40 to Sec. Corner. Nov. 25. 1806

---

North & Between Sec<sup>s</sup>. 27 & 28, S. N. R. S. E.  
 20.14 a W. Oak 36 in. dia.  
 40.00 Set the of Sec. post, from which  
 an Elm 10 in. dia. beam N 40 E 15 lks. dist. of  
 a Hickory - " " " S 55 W 15 " "  
 66.34 a Beech 18 " "  
 80.00 a Beech 10 in. dia. Cor. to Sec<sup>s</sup>. 21, 22, 27 & 28  
 Land timber &c. same as on the last mile

---

West On Rand<sup>m</sup>. between Sec<sup>s</sup>. 22 & 27, S. N. R. S. E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 79.60 Intersected the N & S. line 85 lks. N. of post  
 Land timber &c. same as on the last mile

---

East Connected between Sec<sup>s</sup>. 22 & 27  
 39.80 Set of Sec. post at average dist. from which  
 a Beech 18 in. dia. beam N 15 E 10 lks. dist. of  
 a dlo. 16 " " " S 35 W 14 " "  
 79.60 to Sec. Corner November 27<sup>th</sup>. 1806.

---

Monday December 1<sup>st</sup>. 1806  
 North & Between Sec<sup>s</sup>. 21 & 22, S. N. R. S. E.  
 24.17 a Maple 14 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Beech 14 in. dia. beam N 8 E 33 lks. dist. of  
 a dlo. 16 " " " S 33 W 25 " "

## T5 N. R5 E, T. Mer. Indiana

73.25 a Beech 24 in. dia.

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 11 in. dia. bear S 39 E 21 lbs. dist. of  
a Hickory 16 " " " S 63 W " "  
Land then Soil, timber Beech & Hickory some fallen.

West On Rand. betw. Sec. 15 & 22, T5 N. R5 E.

8.50 a run 8 lbs. wide Course S.

13.50 a do 20 " " " S. E.

15.75 a do. — " " " North

19.50 a do 20 " " " —

40.00 Set temp. of Sec. post

60.00 a run 15 lbs. wide Course S.

62.60 a do — " " " N. E.

80.74 Intersected the N & S. line 34 lbs. N. of post  
Land very brushy & briery, timber Beech Oak &c.

East Corrected between Sec. 15 & 22

40.37 Set of Sec. post at average dist. from which  
a W. Oak 16 in. dia. bear S 42 E 7 lbs. dist. of  
a dogwood 5 " " " N 19 W 21 " "

80.74 to Sec. Corner

North Between Sec. 15 & 16, T5 N. R5 E.

22.89 a Beech 12 in. dia.

40.00 Set the of Sec. post, from which  
a Beech 10 in. dia. bear S 86 W 21 lbs. dist. of  
a P. Oak 26 " " " S 81 E. 32 " "

50.26 a P. Oak 36 " "

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
a Beech 10 in. dia. bear S 12 W 45 lbs. dist. of  
a do. 20 " " " N 3 W 19 " "  
Land much the same as last mile

East On Rand. between Sec. 10 & 15, T5 N. R5 E.

5.00 a run 25 lbs. wide Course S. E.



T5 N. R5 E. 2<sup>d</sup>. Mer. Michigan

6.50 a run 25 lks. wide Course N. E.  
 9.00 a do. 25 " " " S. E.  
 19.00 a do 6 " " " South  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 56.00 a run 4 lks. wide Course N10 W  
 79.71 to N & S. line 40 lks. South of post  
 Sand thin Soil, timber Beech, Oak &c. level

---

West Corrected between Sec. 10 & 15  
 39.85<sup>1</sup>/<sub>2</sub> Set a post for q<sup>r</sup>. Sec. Cor. at average dist. from which  
 a Beech 11 in. dia. beam N46 E 8 lks. dist. of  
 a do — " " " N22 W 39 " "  
 79.71 to Sec. Corner

---

North Between Sec. 9 & 10, T5 N. R5 E.  
 1.50 a run 20 lks. wide Course E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 11 in. dia. beam N13 E 37 lks. dist. of  
 a do. 12 " " " N76 W 25 " "  
 55.94 a Beech 12 " " "  
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, from which  
 a Beech 10 in. dia. beam N70 W 15 lks. dist. of  
 a Gum 9 " " " S69 E 20 " "  
 Sand thin Soil, timber Oak, Beech &c

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 3 & 10, T5 N. R5 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.32 Intersected the N & S. line 32 lks. N. of post  
 Sand level thin, timber N. Oak, brush &c.

---

West Corrected between Sec. 3 & 10  
 40.16 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Gum 11 in. dia. beam S85 E 15 lks. dist. of  
 a B. Oak 3 " " " N81 E 21 " "  
 80.32 to Sec. Corner. Dec. 2<sup>d</sup>. 1806

---

## T5 N. R5 E. T. Mer. Indiana

North Between Sec. 3 &amp; 4, T5 N. R5 E.

5.86 a W. Oak 40 mi. dist.

40.00 Let the q. Sec. post, from which

a Hickory 12 in. diam. brang S 42° W 17 lks. dist. of

a Beech 8 " " " S 78° E 20 " "

49.80 a W. Oak 18 " "

63.88 Intersected the N. boundary 134 lks. E. of post

Let a post Cor. to Sec. 3 &amp; 4 from which

a W. Oak 18 in. diam. brang S 44° W 12 lks. dist. of

a Do. 12 " " " S 3° E 29 " "

Sand rolling thin soil, timber Oak &amp;c.

Wednesday November 26<sup>th</sup> 1876.

North Between Sec. 32 &amp; 33, T5 N. R5 E.

7.25 a run 10 lks. wide Course S. E.

9.00 a Do. 10 " " " S. W.

10.50 a Do. 10 " " " S. E.

13.00 a Do. 10 " " " S. W.

16.00 a Do. — " " " S. E.

17.50 a Do. " " " S. W.

20.50 a Hickory 48 in. diam.

38.50 a run — lks. wide Course S. E.

40.00 Let the q. Sec. post, from which

a Maple 10 in. diam. brang S 75° E 31 lks. dist. of

a Do. 36 " " " N 65° W 36 " "

57.24 a Beech 36 " "

80.00 a Beech 14 in. diam. Cor. to Sec. 28, 29, 32 &amp; 33

Sand level rich soil, timber Beech, Birch, Eng. &amp;c.

East On Rand. between Sec. 28 &amp; 33, T5 N. R5 E.

40.00 Let temp. q. Sec. post in run 6 lks. wide C. S.

58.50 a run 10 lks. wide Course S.

78.90 Intersected the N. &amp; S. line 100 lks. S. of the post

Sand timber &amp;c. Same as on the last mile

Next Corrected between Sec. 28 &amp; 33

T5 N. R5 E. 2<sup>d</sup>. Mer. Indiana

39.45 Let qf. Sec. post at average dist. from which  
 a Beech 12 mi. dist. bray S71°W28 lbs. dist. of  
 a Ho. 16 " " " N77°E22 " "  
 78.90 to Sec. Corner. Saturday Nov. 29<sup>th</sup>. 1806

---

North Between Secs. 28 & 29, T5 N. R5 E.

19.11 at Beech 30 mi. dist.

40.00 Let thro qf. Sec. post, from which  
 a Beech 14 mi. dist. bray N66°E22 lbs. dist. of  
 a Ho. 28 " " " N66°E22 " "

63.11 an Ash 14 " "

76.50 a run 10 lbs. wide Course S10°W

80.00 Let a post cor. to Secs. 20, 21, 28 & 29, from which  
 a W. Oak 48 mi. dist. bray S84°W41 lbs. dist. of  
 a Ho. 14 " " " S53°E55 " "  
 Sand thin Soil, timber Oak, Beech &c.

---

Sunday November 30<sup>th</sup>. 1806.

West On Rand. between Secs. 21 & 28, T5 N. R5 E.

32.00 a run 4 lbs. wide Course S10°W

40.00 Let temp. qf. Sec. post

74.15 a run 3 lbs. wide Course S.

79.50 Intersected the N of S. line at the post  
 Sand ridgy, timber Beech, Oak &c. bray &c.

---

East Corrected between Secs. 21 & 28

39.75 Let qf. Sec. post. at average dist. from which  
 a Beech 18 mi. dist. bray S29°E66 lbs. dist. of  
 a Ho. 11 " " " N87°W24 " "

79.50 to Sec. Corner.

---

North Between Secs. 20 & 21, T5 N. R5 E.

13.00 a W. Oak 18 mi. dist.

40.00 Let thro qf. Sec. post, from which  
 a C. Oak 14 mi. dist. bray S32°E28 lbs. dist. of  
 a W. Oak 10 " " " N11°W22 " "

# T5 N. R5 E. Mer. Indiana

371

- 52.88 at P. Oak 18 mi. dist.  
 59.50 a Run 6 lks. wide Course N.E.  
 80.00 Set a post in Knob Cor. to Sec. 16, 17, 20 & 21, from which  
 a Beech 8 mi. dist. by N 49° W 14 lks. dist. of  
 an Ironw. 6 " " " S 78° E 11 " "  
 Poor brushy Knob, timber Shesnut, P. N. Oak
- 

- West On Rand. between Sec. 16 & 21, T5 N. R5 E  
 14.50 a run 20 lks. wide Course S.E. cross it several times  
 33.50 a do 20 " " " S.E.  
 40.00 Set temp. q. Sec. post  
 78.86 Intersected the N & S. line 29 lks. N. of post  
 Sand hilly brushy, timber Oak &c.
- 

- East Corrected between Sec. 16 & 21  
 39.43 Set q. Sec. post, from which (at average dist.)  
 a P. Oak 16 mi. dist. by S 83° W 25 lks. dist. of  
 a W. Oak 16 " " " N 46° E 21 " "  
 78.86 to Sec. Corner. Wednesday Dec. 3. 1886
- 

- North Between Sec. 16 & 17, T5 N. R5 E.  
 16.85 a Poplar 24 mi. dist.  
 20.50 a run 20 lks. wide Course E.  
 36.50 a do. 15 " " " S.E.  
 40.00 Set the q. Sec. post, from which  
 a Hogwood 5 mi. dist. by N 25° E 3 lks. dist. of  
 a do. 3 " " " S 49° W 30 " "  
 60.08 a Sugar 14 " "  
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Beech 12 mi. dist. by S 87° E 10 lks. dist. of  
 a W. Oak 36 " " " N 80° W 36 " "  
 Sand hilly, timber Oak, Beech &c. brushy
- 

- East On Rand. between Sec. 9 & 16, T5 N. R5 E  
 24.26 a run 15 lks. wide Course N.E.  
 40.00 Set temp. q. Sec. post.



## T5 N. R5 E. T. Mer. Indiana

79.26 Intersected the N & S. line at the post  
 Land rich timber Beech, Oak &c  
 This day the Snow fell 5 inches deep lay by  
 December 4<sup>th</sup> 1806.

West Corrected between Sec. 9 & 16

39.63 Set of Sec. post at average dist. from which  
 a Beech 24 mi. dist. by N 70 E 30 lbs. dist. of  
 a Do. 12 " " " N 16 W 10 " "

79.26 to Sec. Corner. Dec. 5<sup>th</sup> 1806

North Between Sec. 8 & 9, T5 N. R5 E.

5.50 a run 4 lbs. wide Course N. E.

13.50 a Do. 10 " " " East dry

19.19 a R. Oak 24 mi. dist.

40.00 Set the of Sec. post, from which  
 a Beech 9 mi. dist. by N 39 E 17 lbs. dist. of  
 a Do. 26 " " " N 21 W 16 " "

54.00 a run 15 lbs. wide Course S. E.

55.00 a Do 10 " " " South

55.50 a Do — " " " S. E.

58.75 a R. Oak 24 mi. dist.

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 16 mi. dist. by N 33 E 31 lbs. dist. of  
 a Do. 14 " " " N 22 W 25 " "

Land hilly good Soil, timber Oak, Beech &c. birch &c.

East On Rand. between Sec. 4 & 9, T5 N. R5 E.

16.50 a run 6 lbs. wide Course S. E.

32.00 a Do. 5 " " " S. E.

65.00 a Do 10 " " " S. E.

79.00 Intersected the N & S. line 26 lbs. N. of post  
 Land good Soil, timber Beech &c. birch &c.

West Corrected between Sec. 4 & 9

39.50 Set of Sec. post at average dist. from which

# T5 N. R5 E. 2<sup>nd</sup> Mer. Indiana

373

a Beech 26 in. diam. brang N45W8 lks. dist. of  
a do. 16 " " " N43E44 " "  
79.00 to Sec. Corner.

North Between Secs. 4 & 5, T5 N. R5 E.

19.27 a W. Oak 60 in. diam.

40.00 Let the q. Sec. post, from which  
a Beech 6 in. diam. brang N50W12 lks. dist. of  
an Ash 8 " " " N56E10 " "

61.00 Intersected the N. boundary 172 lks. E. of post  
Let a post Cor. to Sec. 4 & 5, from which  
a Beech 30 in. diam. brang N6E15 lks. dist. of  
a W. Oak 48 " " " N44W51 " "  
Sand hilly timber Oak, Beech &c.

North Between Secs. 31 & 32, T5 N. R5 E.

15.37 a Beech 16 in. diam.

40.00 Let the q. Sec. post, from which  
a Gum - in. diam. brang N59W10 lks. dist. of  
a Maple 15 " " " N22W22 " "

56.77 a Gum 20 " "

80.00 Let a post Cor. to Secs. 29, 30, 31 & 32, from which  
a S. Oak 50 in. diam. brang N6E17 lks. dist. of  
a Beech 18 " " " N19W17 " "  
Sand level & wet soil Timber Beech, Oak, Gum &c

West Between Secs. 30 & 31, T5 N. R5 E.

24.13 a Beech 16 in. diam.

28.75 a run 15 lks. wide Course S.

40.00 Let the q. Sec. post, from which  
a Beech 12 in. diam. brang S50E36 lks. dist. of  
a do. 14 " " " N47W14 " "

61.55 a R. Oak 24 " "

62.50 a run 25 lks. wide Course S.

87.40 Intersected the W. boundary 19 lks. S. of post  
Let a post Cor. to Secs. 30 & 31, from which

T5 N R5 E, 2<sup>nd</sup> Mer. Indiana

a Run 10 in. dia. beam S86E 31 lks. dist. of  
 a Beech 18 " " " N58E 31 " "  
 Rich ascending land, timber Beech, ash, Oak, Gum &c

East On Rand<sup>m</sup>. betw<sup>m</sup>. Secs. 29 & 32, T5 N. R5 E.

20.00 a run 6 lks. wide Course S.

24.00 a do 10 " " " S.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

51.19 a run 15 lks. wide Course S.

51.69 a do 15 " " " N.

52.19 a do 6 " " " S.

54.69 a do 12 " " " S.

56.19 a do — " " " —

56.60 a do — " " " —

79.69 Intersected the N & S. line 100 lks. S. of post  
 Land level timber Beech &c.

West Corrected between Secs. 29 & 32

39.84<sup>1</sup>/<sub>2</sub> Let q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 6 in. dia. beam N82W 9 lks. dist. of  
 a do 9 " " " S39W 19 " "

79.69 to Sec. Corner.

North Between Secs. 29 & 30, T5 N. R5 E.

21.17 a Poplar 18 in dia.

22.50 a run 3 lks. wide Course S. E.

25.70 a run 4 " " " S. E

27.50 a run 6 " " " S. E

32.50 a run 6 " " " N. W

40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Sycamore 40 in. dia. beam S84E 40 lks. dist. of  
 a Beech 11 " " " S63W 38 " "

46.20 a run 6 lks. wide Course N. W.

61.50 a Poplar 18 in. dia.

61.60 a run 6 lks. wide Course S. E

80.00 Let a post Cor. to Secs. 19, 20, 29 & 30, from which

# 375

## S5 N R5 E, T<sup>n</sup> Mer. Indiana

a Beech 4 in. dia. bears N 79 W 17 lks. dist. 4  
 a No 16 " " " S 54 E 5 " "  
 Land Much as last mile

East On Prandour between Secs. 20 & 29. S5 N. R5 E  
 32. 00 a run 15 lks. wide Course S.  
 59. 59 a run 6 " " " S. dry  
 40. 00 Set tempy. q. Sec. post  
 70. 00 a run 4 lks. wide Course S. dry  
 79. 80 Intersected the N. & S. line 25 lks. S. of post  
 Land good Soil rolling timber Beech &c.

West Corrected between Secs. 20 & 29.  
 39. 90 Set q. Sec. post at average dist. from which  
 a W. Oak 36 in. dia. bears N 15 E 33 lks. dist. 4  
 a Beech 16 " " " S 32 W 17 " "  
 79. 80 to Section Corner

West Between Secs. 19 & 30. S5 N. R5 E.  
 12. 75 a run 3 lks. wide Course S.  
 14. 87 an Ash 18 in. dia.  
 19. 00 a run 3 lks. wide Course S.  
 23. 50 a run 4 " " " S. E  
 33. 25 a run 3 " " " S. E.  
 40. 00 Set the q. Sec. post. from which  
 a W. Oak 11 in. dia. bears S 45 E 9 lks. dist. 4  
 a Beech 4 " " " N 58 W 14 " "  
 52. 50 a run 3 lks. wide Course S.  
 54. 20 a Poplar 24 in. dia.  
 63. 50 a run 15 lks. wide Course S.  
 87. 00 a run 4 " " " N.  
 88. 50 Intersected the W. boundary 80 lks. S. of post  
 Set a post Cor. to Secs. 19 & 30. from which  
 a Beech 16 in. dia. bears S 56 E 21 lks. dist. 4  
 a Maple 14 " " " N 59 E 55 " "  
 Land thin poor knobs of Oak, undergthr Oak. &c.



T5N R5E. 2<sup>d</sup> Mer. Indiana

North Between Secs. 19 &amp; 20, T5N. R5E.

15.60 an Oak 30 in. dia.

40.00 Set the q. Sec. post, from which  
an Ironwood 8 in. dia. bears S 22 E 11 lks. dist. &  
a C. Oak 18 " " " N 34 W 30 " "

42.00 wrap Water 3 lks. wide

54.82 a W. Oak 10 in. dia.

71.00 a run 6 lks. wide Course W.

73.50 a run 8 " " " W.

80.00 Set a post Cor to Secs. 17, 18, 19 & 20, from which  
a B. Oak 36 in. dia. bears S 71 W 10 lks. dist. &  
a No. 36 " " " S 76 E 46 " "  
Land steep poor high knobs of Oak brushy &c.

West On Random between Secs. 17 &amp; 20, T5N. R5E.

40.00 Set temp. q. Sec. post

79.40 Intersected the N. & S. line at the post  
Land steep poor high hills

East Corrected between Secs. 17 &amp; 20.

39.70 Set q. Sec. post. at average dist. from which  
a C. Oak 14 in. dia. bears N 85 E 61 lks. dist. &

a W. Oak 24 " " " S 80 W 65 " "

79.40 to Section Corner

West Corrected between Secs. 18 &amp; 19, T5N. R5E.

34.28 a C. Oak 26 in. dia.

40.00 Set the q. Sec. post. from which  
a W. Oak 28 in. dia. bears N 25 E 25 lks. dist. &  
a C. Oak 16 " " " S 45 W 40 " "

45.50 a run 10 lks. wide Course S.

60.44 a Beech 18 in. dia.

88.50 Intersected the W. boundary 6.35 lks. N. of post  
Set a post Cor to Secs. 18 & 19, from which  
a W. Oak 10 in. dia. bears S 56 E 10 lks. dist. &  
a No. 8 " " " N 60 E 29 " "

T5N, R5E, 2<sup>nd</sup> Mer. Indiana

## Land as last mile

North Between Sect. 17 & 18, T5N. R5E  
 7.00 a run 3 lks. wide Course W  
 15.27 a b. Oak 18 in. dia.  
 32.00 a run 4 lks. wide Course W  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 16 in. dia. bears N 76 W 14 lks. dist. &  
 a b. Oak 10 " " " S 71 E 50 " "  
 56.90 a B. Oak 18 " "  
 70.00 a run 4 lks. wide Course W.  
 80.00 Set a post Corner to Sect. 7, 8, 17 & 18, from which  
 a W. Oak 36 in. dia. bears N 57 W 32 lks. dist. &  
 a Beech 6 " " " S 42 E 13 " "  
 Land poor steep high knobs &c.

East On Random between Sect. 8 & 17, T5N. R5E  
 40.00 Set temp. q. Sec. post  
 79.35 Intersected the N & S. line 50 lks. N. of post  
 Land hilly good Soil Beech Oak &c.

West Corrected between Sect. 8 & 17, T5N. R5E.  
 39.67<sup>1</sup>/<sub>2</sub> Set q. Sec. post, at average dist. from which  
 a Beech 12 in. dia. bears N 40 E 6 lks. dist. &  
 a Do 14 " " " S 65 W 21 " "  
 77.35 To Section Corner

West Between Sect. 7 & 18, T5N. R5E.  
 22.10 a W. Oak 10 in. dia.  
 27.50 a run 6 lks. wide Course W.  
 40.00 Set the q. Sec. post, from which  
 a Beech 18 in. dia. bears N 50 E 11 lks. dist. &  
 a W. Oak 15 " " " S 69 W 25 " "  
 42.00 a run 6 lks. wide Course S. W.  
 56.50 a Beech 18 in. dia.  
 88.50 Intersected the W. boundary 12 lks. N. of post

## T5 N R5 E. T. Mer. Indiana

a Beech 18 in. dia. bears N 23 E 53 lks. dist. 4  
 a Do. 12 " " " S 41 E 53 " "  
 Land as last mile

North Between Sec. 7 & 8. T5 N. R5 E.  
 16.21 a W. Oak 26 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 9 in. dia. bears N 20 E 10 lks. dist. 4  
 a Do. 14 " " " S 40 W 15 " "  
 55.00 a run 4 lks. wide Course W.  
 55.95 a Hickory 16 in. dia.  
 80.00 Set a post Cor. to Sec. 5. 6. 7 & 8, from which  
 a Beech 30 in. dia. bears N 35 E 11 lks. dist. 4  
 a W. Oak 14 " " " N 46 W 18 " "  
 Land Hilly Beech & Oak timber. Brushy

West On Random between Sec. 5 & 8. T5 N. R5 E.  
 16.00 a run 10 lks. wide Course S. E.  
 40.00 Set temp. q. Sec. post  
 79.12 Intersected the N. & S. line 40 lks. N. of post  
 Land Hilly timber Oak Beech &c.

East Corrected between Sec. 5 & 8. T5 N. R5 E.  
 39.61 Set q. Sec. post, at average dist. from which  
 a B. Oak 30 in. dia. bears S 34 E 12 lks. dist. 4  
 a Beech 6 " " " N 21 W 19 " "  
 79.12 to Section Corner

West Between Sec. 6 & 7. T5 N. R5 E.  
 15.50 a run 6 lks. wide Course S. 20 W.  
 17.57 a Beech 14 in. dia.  
 24.00 a run 8 lks. wide Course S 40 W.  
 25.50 a run 4 " " " S.  
 40.00 Set the q. Sec. post, from which  
 a Beech 6 in. dia. bears S 54 W 24 lks. dist. 4  
 a Do. 9 " " " N 4 E 40 " "

T5 N. R5 E. 2<sup>d</sup>. Mer. Indiana

- 68.64 a Beech 16 in. dia.  
 72.20 Intersected the Indian boundary let post, from which  
 a Beech 16 in. dia. bran N 114<sup>o</sup> 46 lbs. dist. of  
 a No. 10 " " " S 69<sup>o</sup> 57 " "  
 Land wet, Timber Beech &c.  
 89.60 Intersected the N. boundary 178 lbs. N. of post  
 let a post Cor. to Sec. 5 & 6, from which  
 a Beech 15 in. dia. bran N 73<sup>o</sup> E 23 lbs. dist. of  
 a W. Oak 15 " " " S 56<sup>o</sup> E 25 "  
 Good farming land, timber, Beech, Oak,  
 Poplar &c.

## North Between Sec. 5 &amp; 6, T5 N. R5 E.

- 29.00 a run 6 lbs. wide Course N.  
 32.24 a Beech 12 in. dia.  
 40.00 let the q. Sec. post, from which  
 a W. Oak 40 in. dia. bran S 75<sup>o</sup> E 15 lbs. dist. of  
 a Beech 16 " " " S 89<sup>o</sup> W 12 " "  
 48.10 to Indian boundary let post, from which  
 a Beech 12 in. dia. bran S 20<sup>o</sup> E 26 lbs. dist. of  
 a No. 14 " " " S 65<sup>o</sup> W 59 " "  
 50.00 to a Spring N.W.  
 61.16 Intersected the N. boundary 61 lbs. E. of post  
 let a post Cor. to Sec. 5 & 6, from which  
 a Hickory 10 in. dia. bran S 35<sup>o</sup> E 9 lbs. dist. of  
 a Beech 10 " " " S 65<sup>o</sup> W 21 " "  
 Good farming land, timber Beech, Poplar  
 Oak &c. Dec. 4<sup>th</sup> 1886  
 Surveyed by Joseph H. Larnill, D.S.  
 North of boundary by Arthur Kenne, D.S.



I hereby Certify that the foregoing transcript of  
 of field notes of Township N. 5 N. Range N. 5 E.  
 Twp. Mer. Indiana, has been Compared with the  
 Original notes in this Office, and found to be correct.  
 Surveyor General's Office  
 Cincinnati, Feb. 9. 1842

Q. S. R. Ains  
 Sur. Genl.